



SMP-PRO3 / SMP-PRO3N **Digital Signage Media Player**

Zone-type fanless digital signage player with AV-in (SMP-PRO3 only) supporting real-time video, playback of image slide show, ticker text, video, clock, and date in maximum six divisions. Its fanless design is the best solution for special noise or heat-exhaust sensitive environment or applications.

SYSTEM FEATURES

Multimedia Presentation

- Zone-type presentation supporting one background design, one multimedia (stored video/streaming video/image/av-in) area, two image slide show areas, one ticker area, and one clock/date area
- Provide 15 pre-designed skins and 4 stylish clocks for users to easily create attractive presentations. More skins and clocks can be downloaded from Cayin's partner website periodically
- Provide a handy tool, Skin Editor, with an intuitive drag-and-drop user interface. Users can define the size and location of each division, including video, image, ticker, and clock, and create skin files for 10 popular resolutions
- Support most popular video codec and image file formats, such as MPEG 1/2/4, AVI, WMV 7/8/9, WMA, DivX, MP3, RAW DV, JPG, GIF, etc.
- Support diversified resolutions for both standard and wide screens: 640x480, 800x600, 1024x768, 1152x864, 1280x1024, 1280x720(720p), 1280x768, 1600x900, 1360x768, 1366x768

Playback Management

- Support multiple sources for the playback of multimedia files, including internal hard disk, USB flash disk (video only), and real-time video/uni/multi/broadcast streamed from CMS or other supported streaming servers
- SMP-PRO3 can even play real-time video (AV-in) by directly connecting to a TV tuner, DVD player, camera, etc.
- Support to be a standalone player or to work under a server-client structure when incorporating with Cayin CMS server
- Administrators can remotely assign live video channels to players located in different sites, and schedule playlists with other media sources
- Support easy settings of ticker, which can deliver real-time messages of advertisements or information. Users can enter texts directly in the web-based user interface, or feed texts from a text file, URL, or RSS feed

System Management

- Provide a web-based user interface for easy remote control of the settings and playback options



of each media player

- Support remote update of multimedia content by Network Neighborhood over IP or by centralized content distribution with Cayin CMS server or a web server
- Able to cooperate with CMS server to update playlists, schedules, and content in groups.
- Provide log function which can record the status of system, network, media player, and playback for management and analysis purposes
- Support system recovery function. System firmware can be restored to the factory default if needed.
- Support NTP service, which synchronizes the time of media players over a network

Others

- Support wireless LAN 802.11b/g (optional)